

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: MVP 2023 Additive
 Chemical Name: Premium acrylic additive
 Product Use/Class: Cement patching compound.
 Company Information: Mannington Mills, Inc.
 P.O. Box 30, Rte. 45
 75 Mannington Mills Road
 Salem, New Jersey 08079
 Phone: (856) 935-3000
 Phone Numbers: Product Emergency: (866) 359-5602
 Spill Response: (800) 424-9300
 Effective Date: 23/June/2003 Reason for Revision: New
 Supersedes Date: New

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight%	Exposure Guidelines				
			ACGIH - TLV		OSHA - PEL		Other
			TWA	STEL	TWA	Ceil	
This product contains no hazardous ingredients as defined by OSHA hazard communication standard 29 CFR 1910.1200.							

SECTION 3 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Form: Milky liquid
 Color: White
 Odor: Slight

WARNING STATEMENTS

Potential skin and eye irritant to sensitive individuals.

POTENTIAL HEALTH EFFECTS

Primary Routes of Exposure

Eye contact: May cause irritation to eyes.
 Skin contact: May cause irritation to skin.
 Inhalation: May cause slight upper respiratory tract irritation.
 Ingestion: Can cause nausea, vomiting, gripping and diarrhea.
 Chronic: None known
 Other: Keep out of reach of children.

Refer to Section 11 for toxicological information.

SECTION 4 - FIRST AID MEASURES

If in Eyes:	Flush with water for 15 minutes while holding eyelid open. If irritation persists, seek medical attention immediately.
If on Skin:	Avoid contact with skin. Remove contaminated clothing. Wash effected area thoroughly with soap and water. If irritation persists, seek immediate medical attention.
If Inhaled:	Remove to fresh air. If not breathing, trained personnel should initiate artificial respiration. Immediate medical attention should be obtained.
If Swallowed:	Do not induce vomiting. Do not give anything by mouth to an unconscious person. Seek medical attention immediately.

SECTION 5 - FIRE FIGHTING MEASURES

Flash Point:	> 212 deg F
Lower Explosive Limit (LEL) %:	Not established
Upper Explosive Limit (UEL) %:	Not established
Auto-Ignition Temperature:	Not established
OSHA Flammability Classification:	N.A.
Hazardous Products of Combustion:	N.A.
Extinguishing Media:	Product will not burn until all water has evaporated. Water spray, carbon dioxide, dry chemical, or foam.
Unusual Fire and Explosion Hazards:	N.A.
Fire Fighting Equipment:	Wear standard fire fighting protective gear with self-contained breathing
Miscellaneous Advice:	N.A.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions:	Wear appropriate protective equipment.
Methods for clean-up:	Place in poly-drum or container for proper disposal.

Refer to Section 13 for disposal information.

Refer to sections 14 & 15 for reportable quantity information.

SECTION 7 - HANDLING AND STORAGE

Handling:	Keep container closed when not in use.
Storage:	Store at 60-95 deg F and out of the sun.

Consult the Mannington Professional Installation Guide for additional information on handling and storage.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:	Use in WELL VENTILATED areas only.
Respiratory Protection:	A NIOSH/MSHA approved air supply respirator is required in absence of proper environmental control. Engineering or administrative controls should be implemented to reduce exposure.
Eye Protection:	Safety glasses or goggles as necessary to prevent eye contact.

Hand and Skin Protection: As needed to minimize contact with skin. Protective gloves should be impervious (nitrile, rubber, or better).

Other Protective Equipment:

Hygienic Practices: Wash hands before eating, smoking, or using toilet facilities. Do not smoke in any chemical handling or storage area. Food or beverages should not be consumed anywhere this product is handled or stored. Wash thoroughly after handling.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Milky white liquid	Water Solubility:	Dispersible
Physical State:	Liquid	Vapor Pressure:	1.0
Boiling Point:	212 deg F	Evaporation Rate:	Same as water
Vapor Density:	1.0	Specific Gravity:	1.0 (Water = 1.0)

SECTION 10 - STABILITY AND REACTIVITY

Conditions to avoid:	N.A.
Materials to avoid:	Strong oxidizing agents, strong acids, strong bases.
Stability:	Stable
Hazardous reactions:	N.A.
Hazardous Polymerization:	Will not occur
Hazardous Decomposition Products:	Carbon monoxide, carbon dioxide, oxides of nitrogen and other unidentified organic compounds.

SECTION 11 - TOXICOLOGICAL INFORMATION

Product LD50 (Oral):	No testing performed
Product LD50 (Dermal):	No testing performed
Product LC50:	No testing performed
Immediate (Acute) Effects:	No testing performed
Delayed (Subchronic & Chronic) Effects:	No testing performed

SECTION 12 - ECOLOGICAL INFORMATION

No study performed.

SECTION 13 - DISPOSAL CONSIDERATIONS

US EPA RCRA Status:	N.A.
Disposal Considerations:	N.A.
Disposal Method:	N.A.
Miscellaneous:	Disposal should be done in accordance with all local, state and federal (40 CFR Part 261) regulations. Be aware that state and local requirements differ widely depending on location and may in many cases be different from federal rules.

SECTION 14 - TRANSPORT INFORMATION

The information provided in this section is for information only. Please apply the appropriate regulations to properly classify your shipment for transport.

DOT Proper Shipping Name: Not regulated
DOT Hazard Class: Not regulated
DOT UN/NA Number: Not regulated
Packing Group: Not regulated
Emergency Response Guide Number: Not regulated
Other: Not regulated

SECTION 15 - REGULATORY INFORMATION

U.S. Federal Regulations: Not available
SARA Section 313: Not available
Toxic Substances Control Act: Not available
Inventory Status: Not available
Export Notification: Not available
Other: This product contains no chemicals reportable under Prop 65.

SECTION 16 - OTHER INFORMATION

	Health	Fire	Reactivity	Additional Information
Hazard Rating:	1	0	0	

Legend:

N.A. - Not Available	ppm - parts per million
S - Skin	NIOSH - National Institute for Occupational Safety
C - Ceiling (Exposure Levels)	ACGIH - American Conference of Government Industrial Hygienist
PEL - Permissible Exposure Limits	TLV - Exposure limits developed by ACCIH
MSHA - Mine Safety and Health Adm	TWA - Time Weighted Average
TSCA - Toxic Substances Control Act	STEL - Short-Term Exposure Limit
CIH - Certified Industrial Hygienist	HAZCOM - Hazard Communication Standard (29CFR1910.1200)
NFPA - National Fire Protection Association	
OEL - Occupational Exposure Limit	
OSHA - Occupational Safety and Health Administration	
CERCLA - Comprehensive Environmental Response, Comprehensive and Liability	

DISCLAIMER

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date of hereof, the company makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will the company be responsible for damages of any nature whatsoever resulting from the use of or reliance upon Information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.

End of MSDS

ts