

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Hush
Chemical Name: Vinyl sheeting
Product Use/Class: Cushion underlayment for flooring
Company Information: Mannington Mills, Inc.
P.O. Box 30, Rte. 45
75 Mannington Mills Road
Salem, New Jersey 08079
Phone: (856) 935-3000
Phone Numbers: **Product Emergency:** (866) 359-5602
Spill Response: (800) 424-9300
Effective Date: 23/June/2003 **Reason for Revision:** Updated MSDS format
Supersedes Date: Nov 2002

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight%	Exposure Guidelines				
			ACGIH - TLV		OSHA - PEL		Other
			TWA	STEL	TWA	Ceil	
None per OSHA Standard 29 CFR 1910.1200 & SARA Title III, Section 313.							

SECTION 3 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Form: Solid, rolled sheet material
Color: Varies
Odor: No appreciable odor

WARNING STATEMENTS

POTENTIAL HEALTH EFFECTS

Primary Routes of Exposure

Eye contact: May cause eye irritation.
Skin contact: Product has a fibrous felt backing, which may produce mild mechanical irritation upon skin contact. Ordinary good measures of personal hygiene will minimize exposure.
Inhalation: Solid material. Be familiar with precautions for adhesives.
Ingestion: Small amounts if ingested are not expected to cause injury.
Chronic: None
Other: None

Refer to Section 11 for toxicological information.

SECTION 4 - FIRST AID MEASURES

If in Eyes:	Flush with water like any non-hazardous solid.
If on Skin:	If skin irritation occurs from contact with felt backing (transitory mechanical dermatitis), wash thoroughly with soap and water. Seek medical attention if condition persists.
If Inhaled:	Not expected. Remove to fresh air and seek medical assistance if adverse reaction to adhesive
If Swallowed:	Seek medical attention only if considerable amount has been swallowed.

SECTION 5 - FIRE FIGHTING MEASURES

Flash Point:	Not available
Lower Explosive Limit (LEL) %:	Not available
Upper Explosive Limit (UEL) %:	Not available
Auto-Ignition Temperature:	Not available
OSHA Flammability Classification:	N.A.
Hazardous Products of Combustion:	See Section 10
Extinguishing Media:	Alone, product is difficult to ignite in roll form.
Unusual Fire and Explosion Hazards:	N.A.
Fire Fighting Equipment:	As with any fire involving plastic, toxic fumes may be released. Use self-contained breathing apparatus.
Miscellaneous Advice:	N.A.

See Section 10.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions:	None.
Methods for clean-up:	Due to its inert properties, scrap pieces may be swept up and disposed of. Disposal should be done in accordance with all local, state, and federal regulations.

Refer to Section 13 for disposal information.

Refer to sections 14 & 15 for reportable quantity information.

SECTION 7 - HANDLING AND STORAGE

Handling:	Avoid excessive, unnecessary handling of felt backing.
Storage:	Consult the Mannington Professional Installation Guide for additional information on handling and storage.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:	Install in well ventilated areas.
Respiratory Protection:	None normally required, unless adhesives or other installation materials so warrant.
Eye Protection:	Use safety glasses with side shields.
Hand and Skin Protection:	Not normally required, unless felt backing causes dermatologic response.
Other Protective Equipment:	
Hygienic Practices:	Wash hands before eating, smoking, or using toilet facilities. Do not smoke in any chemical handling or storage area. Food or beverages should not be consumed anywhere this product is handled or stored. Wash thoroughly after handling.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Solid, rolled sheet material
Physical State: Solid

Water Solubility: Negligible
Specific Gravity: 1.3 - 1.6 (Water = 1.0)

SECTION 10 - STABILITY AND REACTIVITY

Conditions to avoid: None
Materials to avoid: None
Stability: Stable
Hazardous reactions: None
Hazardous Polymerization: Will not occur.
Hazardous Decomposition Products: Thermal decomposition in the presence of air may yield hydrogen chloride gas, carbon dioxide, and carbon monoxide.

SECTION 11 - TOXICOLOGICAL INFORMATION

Product LD50 (Oral): No information known
Product LD50 (Dermal): No information known
Product LC50: No information known
Immediate (Acute) Effects:
None known
Delayed (Subchronic & Chronic) Effect:
None known

SECTION 12 - ECOLOGICAL INFORMATION

No information available.

SECTION 13 - DISPOSAL CONSIDERATIONS

US EPA RCRA Status: N.A.
Disposal Considerations: N.A.
Disposal Method: See below
Miscellaneous: Disposal should be done in accordance with all local, state and federal (40 CFR Part 261) regulations. Be aware that state and local requirements differ widely depending on location and may in many cases be different from federal rules.

SECTION 14 - TRANSPORT INFORMATION

The information provided in this section is for information only. Please apply the appropriate regulations to properly classify your shipment for transport.

DOT Proper Shipping Name: Not regulated
DOT Hazard Class: Not regulated
DOT UN/NA Number: Not regulated
Packing Group: Not regulated
Emergency Response Guide Number: Not regulated
Other: Not regulated

SECTION 15 - REGULATORY INFORMATION

U.S. Federal Regulations: Not available

SARA Section 313: Not available
Toxic Substances Control Act Not available
Inventory Status: Not available
Export Notification: Not available
Other: None

SECTION 16 - OTHER INFORMATION

	Health	Fire	Reactivity	Additional Information
Hazard Rating:	0	0	0	

This product is virtually non-combustible in roll form.

This product is considered non-toxic, presenting minimal hazard to people.

Legend:

N.A. - Not Available	ppm - parts per million
S - Skin	NIOSH - National Institute for Occupational Safety
C - Ceiling (Exposure Levels)	ACGIH - American Conference of Government Industrial Hygienist
PEL - Permissible Exposure Limits	TLV - Exposure limits developed by ACCIH
MSHA - Mine Safety and Health Adm	TWA - Time Weighted Average
TSCA - Toxic Substances Control Act	STEL - Short-Term Exposure Limit
CIH - Certified Industrial Hygienist	HAZCOM - Hazard Communication Standard (29CFR1910.1200)
NFPA - National Fire Protection Association	
OEL - Occupational Exposure Limit	
OSHA - Occupational Safety and Health Administration	
CERCLA - Comprehensive Environmental Response, Comprehensive and Liability	

DISCLAIMER

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date of hereof, the company makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will the company be responsible for damages of any nature whatsoever resulting from the use of or reliance upon Information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.

End of MSDS

its